


A ROLDEK HEALIHIEK RI





SEN Deaf SEN childre

DEAF AND HEARING LOSS COMMUNITY PROFILE				
WORKING AND LEARNING WELL	PROTECT AND DETECT	ACTIVE AT EVERY AGE AND ABILITY		
In the academic year 2019/20, on average, deaf pupils achieved a grade 4 for each subject, this was ON AVERAGE THAN HEARING STUDENTS of deaf students achieved	CANCER SCREENING PEOPLE WITH HEARING LOSS ARE 1126 more likely to attend cancer screening compared to people with no physical disability			
2 A-levels (2019/20), or equivalent compared to	DIABETES OF DEAF PEOPLE HAD HIGHER THAN NORMAL BLOOD SUGAR LEVELS and were not aware of this (2% general pop). This suggests that undiagnosed diabetes may be more common in deaf people	are the main activities that people with hearing loss partake in	SAID THAT Communication was the Main Barrier to Sport	
WORKING LIFE ADDIEDS AT WORK Reasons for early retirement	SEXUAL HEALTH HEALTH THE DEAF COMMUNITY EXPERIENCES HIGHER RATES OF UNPLANNED PREGNANCY AND STIS THAN THE REST OF THE OPULATION	AROUND 8 IN 10 DEAF PEOPLE Said that they would prefer Playing in a mixed environment With deaf and hearing people		
BARRIERS AT WORK Reasons for early retirement due to hearing loss included DIFFICULTIES COMMUNICATION CHALLENGES USING THE WITH PHONE COLLEAGUES	of deaf students knew that condoms could prevent the transmission of infections, and almost all were not aware of the term STI	The top three reasons for being active within the hearing loss community are		

DEAF AND HEARING LOSS COMMUNITY PROFILE				
CLOSING THE GAPS	GREEN AND SUSTAINABLE FUTURE	AGEING AND DYING WELL		
30% of Deaf people communicate with a doctor in BSL 80% WOULD LIKE TO	MAJOR ELEMENTS INVOLVED IN d/DEAF Interactions with the Built Environment	NEARLY ONE THIRD OF DEAF PARTICIPANTS Had elevated levels of cholesterol		
		CARDIOVASCULAR DISEASE 32% 50% DEAF GENERAL POPULATION POPULATION	Older people with dual sensory loss are more likely to have falls compared to people with sight loss	
YEARS LIVED WITH DISABILITY In 2016 sense order diseases were ranked in the top five contributory factors to overall Disability-Adjusted Life Years (DALYs).	MITIGATING THE IMPACT OF COVID MENTAL HEALTH	CANCER Some types of head and neck cancer (nasopharyngeal) can cause hearing loss. Radiotherapy or chemotherapy (the drug cisplatin) may cause tinnitus. This is often temporary but can sometimes be permanent	The risk of developing dementia increases with hearing loss. The risk in those with hearing loss is said to be	
	d/Deaf people reported that the pandemic had a major impact on their mental health			
411 PEOPLE AGED 18+ WITH A HEARING IMPAIRMENT received adult social care packages form Birmingham City Council	CHALLENGES Social Sickness isolation interpreter	Cholesterol, versus The reported rates of chronic respiratory conditions among deaf participants is	COPD	